

# EBCF - CERFONTAINE

Note: The following sections in this chapter are intentionally left blank: AD-2.5, AD-2.6, AD-2.7, AD-2.8, AD-2.9, AD-2.10, AD-2.11, AD-2.14, AD-2.16, AD-2.17, AD-2.19, AD-2.21, AD-2.23, AD-2.24

## EBCF AD 2.1 Aerodrome Location Indicator and Name

EBCF - CERFONTAINE

## EBCF AD 2.2 Aerodrome Geographical and Administrative Data

1	ARP coordinates	500910N 0042314E
	Site of ARP at aerodrome	
2	Direction and distance from (city)	
3	Elevation / reference temperature	943 FT / INFO not AVBL
4	Geoid undulation	151 FT
5	Magnetic variation / annual change	INFO not AVBL
6	AD administration address	EBCF Route des Lacs 50 5630 Cerfontaine BELGIUM
	TEL	+32 (0) 71 20 04 12 (TWR)
	FAX	+32 (0) 71 20 04 14
	Telex	NIL
	AFS	NIL
	Email	NIL
7	Types of traffic permitted (IFR/VFR)	VFR
8	Remarks	The use of the aerodrome is subject to prior permission from the operator.

## EBCF AD 2.3 Operational Hours

0900 - SS+30 MIN (outside these HR O/R)

## EBCF AD 2.4 Handling Services and Facilities

1	Cargo-handling facilities	
2	Fuel types	
	Oil types	
3	Fuelling facilities and capacity	
4	De-icing facilities	
5	Hangar space for visiting aircraft	
6	Repair facilities for visiting aircraft	
7	Remarks	

### EBCF AD 2.12 Runway Physical Characteristics

RWY designator	True BRG	Dimensions of RWY (M)	Strength (PCN) and surface of RWY and SWY	THR COORD	THR ELEV and highest ELEV of TDZ of precision APCH RWY
				RWY end COORD	
1	2	3	4	THR geoid undulation	5
12L	117°	798 x 20	5 700 KG GRASS		
30R	297°	798 x 20	5 700 KG GRASS		
12R	117°	675 x 30	5 700 KG GRASS		
30L	297°	675 x 30	5 700 KG GRASS		

No RWY designation marking

Slope: < 2%

### EBCF AD 2.13 Declared Distances

RWY designator	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	RMK
1	2	3	4	5	6
12L					NIL
30R					NIL
12R					NIL
30L					NIL

### EBCF AD 2.15 Other Lighting, Secondary Power Supply

1	ABN / IBN location, characteristics and hours of operation	
2	LDI location and lighting	
	WDI location and lighting	
3	Taxiway edge lighting	
	Taxiway centre line lighting	
4	Secondary power supply	
	Switch-over time	
5	Remarks	

---

## EBCF AD 2.18 ATS Communication Facilities

---

Service designation	Call sign	Frequency	Hours of operation	Remarks
1	2	3	4	5
Basic information	Cerfontaine Radio	123.205 (8.33 KHZ CH)	see <a href="#">EBCF AD 2.3</a>	INFO only, no ATC (En/Nl/Fr)

---

## EBCF AD 2.20 Local Aerodrome Regulations

---

Jet aircraft operations not allowed.

---

## EBCF AD 2.22 Flight Procedures

---

Radio mandatory.

It is recommended to contact Florennes APP on 124.380 (8.33 KHZ CH) after take off or before reaching the entry point.

Recommended entry / exit points:

- East: Beauraing;
- South: Couvin wind turbine;
- North: Beaumont road junction, avoiding EBFS CTR via Presles and Thuin.

Circuit height:

- for motorized aircraft: 945 FT AGL;
- for gliders: 645 FT AGL.

RWY 12L/30R: recommended for motorized aircraft (RWY 12L right-hand circuit).

RWY 12R/30L: recommended for gliders (RWY 12R right-hand circuit).

Aircraft used for parachute activities (RWY 30R right-hand circuit).

The use of the aerodrome during parachute activities is limited to aircraft used for dropping.

Aircraft shall land and take off only when the parallel runway is vacated or if there is no simultaneous operation on this runway (except for taxiing).

THIS PAGE INTENTIONALLY LEFT BLANK