

EBSG - SAINT-GHISLAIN

Note: The following sections in this chapter are intentionally left blank: AD-2.5, AD-2.6, AD-2.7, AD-2.8, AD-2.9, AD-2.10, AD-2.11, AD-2.14, AD-2.16, AD-2.17, AD-2.19, AD-2.21, AD-2.23, AD-2.24

EBSG AD 2.1 Aerodrome Location Indicator and Name

EBSG - SAINT-GHISLAIN

EBSG AD 2.2 Aerodrome Geographical and Administrative Data

1	ARP coordinates	502727N 0034913E
	Site of ARP at aerodrome	
2	Direction and distance from (city)	
3	Elevation / reference temperature	67 FT / INFO not AVBL
4	Geoid undulation	148 FT
5	Magnetic variation / annual change	INFO not AVBL
6	AD administration address	Loc Invest (commander Mr. Rousseeuw) Rue de la Rivière 53 7330 St-Ghislain BELGIUM
	TEL	+32 (0) 65 64 27 27 (restaurant and bar) +32 (0) 65 60 02 04 (AD) +32 (0) 495 23 86 66 (GSM Commander)
	FAX	+32 (0) 65 60 02 05
	Telex	NIL
	AFS	NIL
	Email	commander@ebsg.aero
7	Types of traffic permitted (IFR/VFR)	VFR
8	Remarks	The use of the aerodrome is subject to prior permission from the operator.

EBSG AD 2.3 Operational Hours

0830-1900 (0730-1800), but not later than SS

Outside these HR: O/R

Closed on 01 JAN and 25 DEC

EBSG AD 2.4 Handling Services and Facilities

1	Cargo-handling facilities	
2	Fuel types	AVGAS 100 LL
	Oil types	
3	Fuelling facilities and capacity	
4	De-icing facilities	
5	Hangar space for visiting aircraft	
6	Repair facilities for visiting aircraft	
7	Remarks	

EBSG AD 2.12 Runway Physical Characteristics

RWY designator	True BRG	Dimensions of RWY (M)	Strength (PCN) and surface of RWY and SWY	THR COORD	THR ELEV and highest ELEV of TDZ of precision APCH RWY
				RWY end COORD	
1	2	3	4	THR geoid undulation	5
09	088°	640 x 23	5 700 KG ASPH		
27	268°	640 x 23	5 700 KG ASPH		

Slope: between 0.04% and 0.99%

EBSG AD 2.13 Declared Distances

RWY designator	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	RMK
1	2	3	4	5	6
09					NIL
27					NIL

EBSG AD 2.15 Other Lighting, Secondary Power Supply

1	ABN / IBN location, characteristics and hours of operation	
2	LDI location and lighting	
	WDI location and lighting	
3	Taxiway edge lighting	
	Taxiway centre line lighting	
4	Secondary power supply	
	Switch-over time	
5	Remarks	

EBSG AD 2.18 ATS Communication Facilities

Service designation	Call sign	Frequency	Hours of operation	Remarks
1	2	3	4	5
Basic information	Saint-Ghislain Radio	119.555 (8.33 KHZ CH)	see EBSG AD 2.3	INFO only, no ATC (En/Fr)

EBSG AD 2.20 Local Aerodrome Regulations

ULM, DPM and aircraft without radio: 1 HR prior notice by phone required.

Jet aircraft operations not allowed.

Due to obstacle south of THR RWY 27, solo training flights require 2 prior flights with instructor. The next solo training flight has to be carried out within 6 weeks after the last flight with instructor.

EBSG AD 2.22 Flight Procedures

Circuit: 1000 FT AGL

THIS PAGE INTENTIONALLY LEFT BLANK