

EBTX - VERVIERS / Theux

Note: The following sections in this chapter are intentionally left blank: AD-2.5, AD-2.6, AD-2.7, AD-2.8, AD-2.9, AD-2.10, AD-2.11, AD-2.14, AD-2.16, AD-2.17, AD-2.19, AD-2.21, AD-2.22, AD-2.23, AD-2.24

EBTX AD 2.1 Aerodrome Location Indicator and Name

EBTX - VERVIERS / Theux

EBTX AD 2.2 Aerodrome Geographical and Administrative Data

1	ARP coordinates	503309N 0055118E
	Site of ARP at aerodrome	
2	Direction and distance from (city)	
3	Elevation / reference temperature	1091FT / INFO not AVBL
4	Geoid undulation	154 FT
5	Magnetic variation / annual change	INFO not AVBL
6	AD administration address	Royal Verviers Aviation ASBL Aérodrome du Laboru Route d'Oneux, 79 4800 Verviers BELGIUM
	TEL	+32 (0) 87 22 30 32 (when AD is open) +32 (0) 477 50 87 37 (contact person Johan De Clercq) The mobile phone of the AD Commander on duty is displayed on www.verviers-aviation.be/rva/webcam .
	FAX	NIL
	Telex	NIL
	AFS	NIL
	Email	info@verviers-aviation.be
7	Types of traffic permitted (IFR/VFR)	VFR
8	Remarks	The use of the aerodrome is subject to prior permission from the operator. Visiting pilots shall use the online form available on www.verviers-aviation.be/rva/aerodrome/ppr

EBTX AD 2.3 Operational Hours

MON to FRI: 1300 (1200) - SS, limited to 1900 (1800)

SAT, SUN and HOL: 0900 (0800) -SS, limited to 1900 (1800)

Outside these periods: O/R (24 HR prior notice)

Opening is always conditioned by the availability of an airfield commander.

EBTX AD 2.4 Handling Services and Facilities

1	Cargo-handling facilities	
2	Fuel types	
	Oil types	

3	Fuelling facilities and capacity	
4	De-icing facilities	
5	Hangar space for visiting aircraft	
6	Repair facilities for visiting aircraft	
7	Remarks	

EBTX AD 2.12 Runway Physical Characteristics

RWY designator	True BRG	Dimensions of RWY (M)	Strength (PCN) and surface of RWY and SWY	THR COORD	THR ELEV and highest ELEV of TDZ of precision APCH RWY
				RWY end COORD	
				THR geoid undulation	
1	2	3	4	5	6
06	055°	738 x 22	2000KG GRASS	503256.95N 0055058.71E	THR 1094 FT
				503310.81N 0055129.28E	
				154 FT	
24	235°	738 x 22	2000KG GRASS	503310.81N 0055129.28E	THR 1114 FT
				503256.95N 0055058.71E	
				154 FT	

EBTX AD 2.13 Declared Distances

RWY designator	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	RMK
1	2	3	4	5	6
06	738	738	738	738	NIL
24	738	738	738	738	NIL

EBTX AD 2.15 Other Lighting, Secondary Power Supply

1	ABN / IBN location, characteristics and hours of operation	
2	LDI location and lighting	
	WDI location and lighting	
3	Taxiway edge lighting	
	Taxiway centre line lighting	
4	Secondary power supply	
	Switch-over time	
5	Remarks	

EBTX AD 2.18 ATS Communication Facilities

Service designation	Call sign	Frequency	Hours of operation	Remarks
1	2	3	4	5
Basic information	Theux Radio	119.005 (8.33 KHZ CH)	see EBTX AD 2.3	INFO only, no ATC (En/Fr)

EBTX AD 2.20 Local Aerodrome Regulations

Caution for gliders, tow plane and touring motor glider activity.

Landing pattern at 2100 FT AMSL for aeroplanes. Always vacate to the left after landing.

Gliders and touring motor glider (engine idle) start their landing pattern at 200 M AGL (1760 FT AMSL).

Jet aircraft operations not allowed.

THIS PAGE INTENTIONALLY LEFT BLANK